



ASSEMBLY GUIDE



PLEASE READ AND FOLLOW ALL ASSEMBLY INSTRUCTIONS, SAFETY INFORMATION, AND OPERATING INSTRUCTIONS OF YOUR OWNER'S MANUAL BEFORE INITIAL START UP.

GRILL PARTS LIST



PART	DESCRIPTION	PART	DESCRIPTION
1	Grill Lid Handle	9	Grease Bucket
2	Grill Body	10	Heat Shield Adjustment Handle
3	Chimney	11	Grill Grates
4	Collapsible Front Shelf	12	Grease Tray
5	Front Shelf Mount Brackets	13	Heat Shield
6	Locking Caster Wheel Legs	14	Side Shelf
7	All-Terrain Wheel Legs	15	Hopper Safety Guard
8	Bottom Storage Shelf	16	Food Probes

DOWER COMPONENTS







ASSEMBLY

PLEASE READ AND FOLLOW ALL INSTRUCTIONS CAREFULLY

UNBOXING & LEG INSTALLATION

HARDWARE

IMPORTANT! The grill is very heavy. Always use 2 people when lifting the grill.





Open and remove top styrofoam and front shelf.

UNBOXING



Remove internal grill parts and set aside. Reference parts list.



Replace stop styrofoam. Close top and flip upside down.



Remove bottom styrofoam.



x2 per leg




x2 per leg

HARDWARE

IMPORTANT! The grill is very heavy. Always use 2 people when lifting the grill.









×4

Break down box walls and set aside. Carefully lift and flip right side up.

LID HANDLE **HARDWARE**

IMPORTANT! Keep 2 spacers on each side of the grill lid to minimize heat transfer to the handle.

12mm



REMOVE HANDLE



Unscrew handle from inside grill lid.



INSTALL HANDLE



Flip hand around to the front and fasten to lid as shown here.

FRONT & SIDE SHELVING

HARDWARE

NOTE: Front shelf mount brackets attach in the same holes used for the front legs.





MOUNT BRACKETS



Install brackets in leg holes. ×4

FRONT SHELF



Attach front shelf hinges to brackets. ×4





Line up the bullets with the pins on side wall and clip shelf into support bar.

REMOVE BOLTS

CHIMNEY





HEAT SHIELD

IMPORTANT! For proper heat shield positioning, use the marks on the adjuster handle. The grill wall should align with the -.5 mark on the handle, setting the heat shield 4.25 in. from the left inside grill wall.




Insert heat shield onto stainless steel slider mount brackets.

HEAT SHIELD ADJUSTER

Insert adjuster handle into hole on right side of grill wall and screw into head shield.

DO NOT OVERTIGHTEN.








Recommended position for even heat distribution: 4.25 in. from left wall.

GREASE TRAY, GRATES, & GREASE BUCKET

IMPORTANT! Make sure to insert grease tray as shown below for proper temperature reading and grease drainage.



Follow grease tray cut-outs as shown.



Insert grates as shown.



Hang bucket on drip spout.

HOPPER GUARD

INSERT HOPPER GUARD

Open lid and install safety guard.

ANTENNA



Screw antenna onto control board.

YOUR GRILL IS READY!

PLEASE READ THE SAFETY INFORMATION AND OPERATING INSTRUCTIONS IN YOUR MANUAL BEFORE INITIAL START UP



VIDEO INSTRUCTION

For video tutorials and general operating tips check out our resources:

NEW GRILL OWNERS greenmountaingrills.com/new-grill-owners/

GMG SUPPORT greenmountaingrills.com/support/