



SNOWPLOWS

UTVS & PICKUPS
TRACTORS & LOADERS



HIGH-QUALITY ROAD MAINTENANCE EQUIPMENT

MADE IN FINLAND

TABLE OF CONTENTS

SNOWPLOWS FOR UTVS & PICKUP TRUCKS	3
SnowStriker™ 4900-8600 SUTV/SP straight-blade	4
Straight-blade standard features	5
Straight-blade optional features	6
SnowStriker™ 4900-8600 VUTV/VP v-plow	7
V-plow standard features	8
V-plow optional features	9
SNOWPLOWS FOR TRACTORS & LOADERS	10
SnowStriker™ 4900-8600 STR/VTR straight-blade & v-plows	10
Standard features	11
Optional features	11
SnowStriker™ 8600-10600 SMT/VMT straight-blade & v-plows	12
Standard features	12
Optional features	12
SPECIFICATIONS	13

SNOWSTRIKER™ SNOWPLOW



“In Finland we have snow for 6 months out of the year. We truly know snow removal technology!”

STRAIGHT-BLADE SNOWPLOW FOR UTVS & PICKUP TRUCKS



SNOWSTRIKER™ 4900-8600 STRAIGHT-BLADE FOR UTVS AND PICKUP TRUCK



The Hilltip **SnowStriker™ straight-blade** plow for **UTVs and pickup trucks** is a lightweight and durable snowplow. The Hilltip Quick Hitch mount makes this easy-on, easy-off plow compatible with most pickup trucks, SUVs, and UTVs on the market.

PLOW DESIGN

The curved, powder-coated blade is made of high-strength steel, which is the key to our durable but light plow. The adjustable two-segment cutting edge is available in both polyurethane or steel.



Straight-blade UTV plow



Straight-blade pickup plow

STRAIGHT-BLADE SNOWPLOW FOR UTVS & PICKUP TRUCKS



Quick hitch - lift shoe handle to attach your plow to the vehicle.



Joystick



Cutting edge with trip springs



6° tilt angle

STANDARD FEATURES

- ✓ Cutting edge in two segments with trip springs protects the plow and vehicle when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other cutting edge segment stays on the ground.
- ✓ Adjustable attacking angle
- ✓ Down-pressure function presses the plow down for a cleaner scrape
- ✓ High performance 12V power unit inside enclosed housing
- ✓ Light tower with LED headlights (only pickup plow)
- ✓ LED edge-markers
- ✓ Curved blade for optimal snow-rolling effect
- ✓ Hilltip Quick Hitch mounting system - fast and easy plow-attachment to car, with all-in-one electrical plug
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (6°)
- ✓ Self-diagnostic in-cabin joystick
- ✓ Direct cylinder lift

STRAIGHT-BLADE SNOWPLOW FOR UTVS & PICKUP TRUCKS



OPTIONAL FEATURES

- + Color options: orange snowplow
- + HTrack™ 2-way online tracking system (available only when used with the IceStriker™ spreader or SprayStriker™ sprayer)
- + Optional poly deflector - Helps keep snow off your windshield
- + Various plow cutting edges
- + Plow shoe kit
- + Plow wheel kit



Optional poly snow deflector



Straight-blade plow in the optional color orange

V-PLOW FOR UTVS & PICKUP TRUCKS



SNOWSTRIKER™ 4900-8600 V-PLOW FOR UTVS AND PICKUP TRUCKS



The Hilltip **SnowStriker™ V-plow** for **UTVs and pickup trucks** is a lightweight and durable plow. The Hilltip Quick Hitch mounts makes this easy on-and-off snowplow compatible with most pickup trucks, SUVs, and UTVs on the market.

PLOW DESIGN

The curved, powder-coated blade is made of high-strength steel, which is the key to our durable but light plow. The adjustable two-segment cutting edge is available in both polyurethane or steel.



UTV V-plow



Pickup V-plow

V-PLOW FOR UTVS & PICKUP TRUCKS



Quick hitch - lift shoe handle to attach your plow to the vehicle



Cutting edge with trip springs



Joystick



High performance 12V power unit

STANDARD FEATURES

- ✓ Cutting edge in two segments with trip springs protects the plow and vehicle when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other cutting edge segment stays on the ground.
- ✓ Adjustable attacking angle
- ✓ Down-pressure function presses the plow down for a cleaner scrape
- ✓ High performance 12V power unit inside enclosed housing
- ✓ Light tower with LED headlights (only pickup plow)
- ✓ LED edge-markers
- ✓ Curved blade for optimal snow-rolling effect
- ✓ Hilltip Quick Hitch mounting system - fast and easy plow-attachment to car, with all-in-one electrical plug
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (6°)
- ✓ Self-diagnostic in-cabin joystick
- ✓ Direct cylinder lift

V-PLOW FOR UTVS & PICKUP TRUCKS




OPTIONAL FEATURES

- + Color options: orange snowplow
- + HTrack™ 2-way online tracking system (available only when used with the IceStriker™ spreader or SprayStriker™ sprayer)
- + Optional poly deflector - Helps keep snow off your windshield
- + Various plow cutting edges
- + Plow shoe kit
- + Plow wheel kit



Optional poly snow deflector



LED edge-markers

STRAIGHT-BLADE AND V-PLOW FOR TRACTORS



SNOWSTRIKER™ 4900-8600 STR/VTR FOR 1-5 TON TRACTORS AND LOADERS



www.hilltip.com

The Hilltip **SnowStriker 4900-8600 STR/VTR straight-blade and V-plow** is designed with heavy-duty box construction for harsh winter conditions. It fits compact **tractors and loaders** with a total weight of **1–5 tons**.

PLOW DESIGN

The curved, powder-coated blade is made of high-strength steel, ensuring a **durable yet lightweight plow**. The adjustable two-segment cutting edge is available in either polyurethane or steel.



Straight-blade tractor plow



Tractor V-plow


STRAIGHT-BLADE AND V-PLOW FOR TRACTORS



Cutting edge with trip springs



6° tilt angle



Optional poly snow deflector



3 point hitch for tractors

STANDARD FEATURES

- ✓ Cutting edge in two/three segments with trip springs protects the plow and vehicle when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other segments stay on the ground.
- ✓ Adjustable attacking angle
- ✓ Curved blade for optimal snow-rolling effect
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (6°)
- ✓ Double acting cylinders

OPTIONAL FEATURES

- + Color-options: orange snowplow
- + The optional poly deflector will help keep the snow off your windshield (only for V-plows)
- + Custom mountings (3 point hitch, Multicar/ multimobile plate etc.)
- + Electro hydraulic 12/24 V
- + Pressure accumulator
- + LED edge-markers
- + Various plow cutting edges
- + Plow wheel kit 200 mm
- + Plow shoe kit

STRAIGHT-BLADE & V-PLOW FOR TRACTORS

SNOWSTRIKER™ SMT & VMT FOR 5-8 TON TRACTORS AND LOADERS

The **SnowStriker™ 8600-9100 SMT** and **8600-10600 VMT** is a medium-duty snowplow designed for 5-8 ton tractors and wheel loaders. Featuring a **tractor and wheel loader A-frame**, as well as a **3-point hitch connection type**, this plow is built for versatility and efficiency.

The curved, powder-coated blade is made of high-strength steel, which is key to our **durable yet lightweight plow**. The two- or three-segmented cutting edge with trip springs protects both the plow and vehicle from impact when hitting obstacles. The cutting edge is available in either polyurethane or steel.



SnowStriker™ SMT in optional color orange



SnowStriker™ VMT in standard color grey

STANDARD FEATURES

- ✓ Cutting edge in two/three segments with trip springs protects the plow and vehicle when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other segments stay on the ground.
- ✓ Adjustable attacking angle
- ✓ Curved blade for optimal snow-rolling effect
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (6°)
- ✓ Double acting cylinders

OPTIONAL FEATURES

- + Color-options: orange snowplow
- + Rounded snow deflector in steel, increases straight blade height with 5 cm (only for straight blade plows)
- + The optional poly deflector will help keep the snow off your windshield (only for V-plows)
- + Custom mountings (3-point hitch, EURO/TRIMA, Kramer, DIN 5 mount, etc.)
- + Electro hydraulic 12/24 V
- + Pressure accumulator
- + LED edge-markers
- + Various plow cutting edges
- + Plow wheel kit 200 mm
- + Plow shoe kit

SNOWSTRIKER™ TECHNICAL SPECIFICATIONS



SNOWSTRIKER™ 5500-8600 SP

MODEL	5500-SP	6000-SP	7000-SP	7400-SP	7900-SP	8600-SP
Width	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	55"	63"	73"	79"	85"	93"
Height	22"	22"	22"	22"	22"	26"
Weight	280 lbs	297 lbs	310 lbs	320 lbs	352 lbs	400 lbs
Trip springs	4	6	6	6	8	8



SNOWSTRIKER™ 4900-8600 SUTV

MODEL	4900-SUTV	5500-SUTV	6000-SUTV	7000-SUTV	7400-SUTV	7900-SUTV	8600-SUTV
Width	4'9"	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	47"	55"	63"	73"	79"	85"	93"
Height	22"	22"	22"	22"	22"	22"	26"
Weight	254 lbs	270 lbs	285 lbs	295 lbs	306 lbs	340 lbs	385 lbs
Trip springs	4	4	6	6	6	8	8



SNOWSTRIKER™ 4900-8600 STR

MODEL	4900-STR	5500-STR	6000-STR	7000-STR	7400-STR	7900-STR	8600-STR
Width	4'9"	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	47"	55"	63"	73"	79"	85"	93"
Height	22"	22"	22"	22"	22"	22"	26"
Weight	254 lbs	276 lbs	291 lbs	302 lbs	315 lbs	346 lbs	397 lbs
Trip springs	4	4	6	6	6	8	8

SNOWSTRIKER™ TECHNICAL SPECIFICATIONS



SNOWSTRIKER™ 5500-8600 VP

MODEL	5500-VP	6000-VP	7000-VP	7400-VP	7900-VP	8600-VP
Width	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	57"	63"	73"	79"	85"	93"
Height	22"-25"	22"-26"	22"-26.5"	22"-27"	22"-27.5"	26"-31.5"
Weight	300 lbs	315 lbs	332 lbs	340 lbs	365 lbs	412 lbs
Trip springs	6	6	6	6	8	8



SNOWSTRIKER™ 4900-8600 VUTV

MODEL	4900-VUTV	5500-VUTV	6000-VUTV	7000-VUTV	7400-VUTV	7900-VUTV	8600-VUTV
Width	4'9"	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	47"	57"	63"	73"	79"	85"	93"
Height	22"	22"-25"	22"-26"	22"-26.5"	22"-27"	22"-27.5"	26"-31.5"
Weight	265 lbs	280 lbs	295 lbs	312 lbs	320 lbs	345 lbs	392 lbs
Trip springs	4	6	6	6	6	8	8



SNOWSTRIKER™ 4900-8600 STR

MODEL	4900-VTR	5500-VTR	6000-VTR	7000-VTR	7400-VTR	7900-VTR	8600-VTR
Width	4'9"	5'5"	6'	7'	7'4"	7'9"	8'6"
Width (fully angled)	47"	57"	63"	73"	79"	85"	93"
Height	22"	22"-25"	22"-26"	22"-26.5"	22"-27"	22"-27.5"	26"-31.5"
Weight	265 lbs	302 lbs	309 lbs	325 lbs	342 lbs	370 lbs	415 lbs
Trip springs	4	6	6	6	6	8	8

Specifications and other details are subject to change without notice.

SNOWSTRIKER™ TECHNICAL SPECIFICATIONS



SNOWSTRIKER™ 8600-9100 SMT

MODEL	8600 SMT	9000 SMT	9100 SMT
Width	8'6"	9'	9'10"
Width (fully angled)	89"	95"	102"
Height	30"	30"	30"
Weight	838 lbs	871 lbs	908 lbs
Trip springs	6	6	6



SNOWSTRIKER™ 8600-10600 VMT

MODEL	8600 VMT	9600 VMT	10600 VMT
Width	8'6"	9'6"	10'6"
Width (fully angled)	89"	98"	108"
Height	32"-39"	32"-39"	32"-39"
Weight	1235 lbs	1279 lbs	1323 lbs
Trip springs	6	6	6

SNOW AND ICE CONTROL EXPERTS

Hilltip is a leading European manufacturer of road maintenance equipment for trucks, tractors, UTVs, and more.

Our products are designed, engineered, and manufactured in our factory in Finland and distributed worldwide. Head office, development, and main production are located in Pietarsaari, Finland, and we have two subsidiaries: Hilltip Corp., with a North American production plant in Indiana, USA, and Hilltip GmbH sales office in Germany.

The climate of Finland and many years of experience have made us experts in developing the most efficient and durable products for snow and ice control. The combination of high quality materials and state of the art technology makes it hard to compete with Hilltip products.



Hilltip Corp.

2803 Wayne Haven St
Fort Wayne, IN 46803
USA

260-447-7900

www.hilltipna.com
info@hilltipna.com

Dealer:



Hilltip reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Hilltip or the vehicle manufacturer may require or recommend optional equipment for snowplows. Do not exceed vehicle ratings with a snowplow. Hilltip products are manufactured under several US and foreign patents pending. Hilltip offers a limited warranty for all products. See separate document for warranty information. The following are registered (®) and unregistered (™) trademarks of Hilltip: IceStriker™, SprayStriker™, BrineMixx™, SnowStriker™, SweepAway™, Jet-it™, StrikeSmart™, HTrack™, TempStriker™, Hilltip®.