# **SPECIFICATIONS**

## **Select Your Engine**

Kawasaki FX801V

Close All

×

 $\wedge$ 

## ENGINE

ENGINE NAME

Kawasaki FX801V

HORSEPOWER 25.5HP

FUEL CAPACITY

12gal

#### **DRIVE LINE**

#### **HYDRAULIC DRIVE**

Parker HTJ Transaxles - 12cc Drive Motors

## HYDRAULIC DRIVE TORQUE

Continuous - 262 ft-lb | Max Torque - 406 ft-lb

## HYDRO DRIVE MAINTENANCE

1000 Hours Between Oil Changes

## DRIVE TIRES

54" - 24x10.50-R12 Radial | 61" - 24x12-R12 Radial

#### FRONT TIRES

13x6.5-R6 Radial with Optional No Flats, or Tweels

#### WHEELS TYPE

Aluminum rear wheels

## SPEED (F/R)

Forward - Up to 11mph | Reverse - Up to 5mph

## FEATURES

## SEAT

Smart Ride Technology w/ full suspension operator platform w/ supporting reinforced knee bolstering - adjustable TecsPak Elastomer rolling on radial tires w/ optional fully adjustable suspension seat system.

#### STEERING LEVERS

Adjustable Speed Stops

#### CONTROL PANEL LCD DISPLAY

Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time between Oil Change Countdown - Fault Codes

## **CONTROL PANEL LED WARNING INDICATORS**

Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI

#### IGNITION

Keyless, Personal Code activated

#### **AUXILIARY POWER**

12v Outlet Next to Phone Holder

## STORAGE

Phone Holder, Cup Holder, and Deep Storage Tray

## нітсн

N/A

## **CUTTING DECK**

DECK SIZES

54", 61"

## DECK DEPTH

6" Deep, Reinforced 7 Gauge Full-Floating Deck



 $\wedge$ 

## DECK LIFT

Foot Operated with Shock Assist

## DECK ADJUSTMENT

Precision Deck Height Pin System

## **CUT HEIGHT**

Quick Adjust Dial from 1" to 5" with 15 Cut Heights

## **BLADE SPINDLES**

Cast Aluminum, No Maintenance/Sealed Bearings

## PARKING BRAKE

Hand Operated

#### FRAME

1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame

 $\wedge$ 

 $\boldsymbol{\wedge}$ 

## MEASUREMENTS

#### WIDTH

54" Deck - 55.5" Wide | 61" Deck - 62.5" Wide

#### WEIGHT

54" Deck - 1076lbs | 61" Deck - 1109lbs

## LENGTH

72.5"

#### HEIGHT

49"

## WARRANTY

#### **ENGINE WARRANTY**

3 Year

## FULL WARRANTY

2 Year / Unlimited Hour Commercial - 120 Day Belt Warranty

#### DECK WARRANTY

Lifetime on the leading edge

#### HYDRAULIC DRIVE WARRANTY

3 Year / 1500 Hour

## **CONTROL PANEL WARRANTY**

3 Year

# **SPECIFICATIONS**

# **Select Your Engine**

Vanguard Big Block

Close All

×

 $\wedge$ 

## ENGINE

ENGINE NAME

Vanguard Big Block

HORSEPOWER 37HP

FUEL CAPACITY

12gal

#### **DRIVE LINE**

#### **HYDRAULIC DRIVE**

Parker HTJ Transaxles - 12cc Drive Motors

## HYDRAULIC DRIVE TORQUE

Continuous - 262 ft-lb | Max Torque - 406 ft-lb

## HYDRO DRIVE MAINTENANCE

1000 Hours Between Oil Changes

## DRIVE TIRES

54" - 24x10.50-R12 Radial | 61" - 24x12-R12 Radial

#### FRONT TIRES

13x6.5-R6 Radial with Optional No Flats, or Tweels

#### WHEELS TYPE

Aluminum rear wheels

## SPEED (F/R)

Forward - Up to 11mph | Reverse - Up to 5mph

## FEATURES

## SEAT

Smart Ride Technology w/ full suspension operator platform w/ supporting reinforced knee bolstering - adjustable TecsPak Elastomer rolling on radial tires w/ optional fully adjustable suspension seat system.

#### STEERING LEVERS

Adjustable Speed Stops

#### **CONTROL PANEL LCD DISPLAY**

Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time Between Oil Change Countdown - Fault Codes

## **CONTROL PANEL LED WARNING INDICATORS**

Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI

#### IGNITION

Keyless, Personal Code activated

## **AUXILIARY POWER**

12v Outlet Next to Phone Holder

## STORAGE

Phone Holder, Cup Holder, and Deep Storage Tray

## нітсн

N/A

## **CUTTING DECK**

DECK SIZES

54", 61"

## DECK DEPTH

6" Deep, Reinforced 7 Gauge Full-Floating Deck



 $\wedge$ 

## DECK LIFT

Foot Operated with Shock Assist

## DECK ADJUSTMENT

Precision Deck Height Pin System

## **CUT HEIGHT**

Quick Adjust Dial from 1" to 5" with 15 Cut Heights

## **BLADE SPINDLES**

Cast Aluminum, No Maintenance/Sealed Bearings

## PARKING BRAKE

Hand Operated

#### FRAME

1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame

 $\wedge$ 

 $\boldsymbol{\wedge}$ 

## MEASUREMENTS

## WIDTH

54" Deck - 55.5" Wide | 61" Deck - 62.5" Wide

#### WEIGHT

54" Deck - 1089lbs | 61" Deck - 1112lbs

## LENGTH

72.5"

#### HEIGHT

49"

## WARRANTY

#### ENGINE WARRANTY

3 Year

## FULL WARRANTY

3 Year / 500 Hour Residential - 2 Year / Unlimited Hour Commercial - 120 Day Belt Warranty

## DECK WARRANTY

Lifetime on the leading edge

## HYDRAULIC DRIVE WARRANTY

3 Year / 1500 Hour

## CONTROL PANEL WARRANTY

3 Year