# **SPECIFICATIONS**

### **Select Your Engine**

**FUEL CAPACITY** 

Kawasaki FR651V

■ Close All

ENGINE

ENGINE NAME

Kawasaki FR651V

HORSEPOWER

21.5HP



#### **DRIVE LINE**

#### $\wedge$

#### **HYDRAULIC DRIVE**

Tuff Torque 300 Series

#### **HYDRAULIC DRIVE TORQUE**

Continuous - 118 ft-lb | Max Torque - 295 ft-lb

#### **HYDRO DRIVE MAINTENANCE**

200 Hours Between Oil Changes (when heavily used)

#### **DRIVE TIRES**

42" - 20x7-10 Turf Armor

#### **FRONT TIRES**

13x6.5-R6 Smooth Tread

#### WHEELS TYPE

Steel

#### SPEED (F/R)

Forward - Up to 7.5mph | Reverse - Up to 5mph

#### **FEATURES**



#### SEAT

Comfortable, Custom Design

#### STEERING LEVERS

Adjustable Up and Down

#### **CONTROL PANEL LCD DISPLAY**

Engine Hour Meter - Mower Deck Hour Meter - Tachometer - Low Level Warning Volt Meter - Time Between Oil Change Countdown - Fault Codes

#### **CONTROL PANEL LED WARNING INDICATORS**

Parking Brake Set - Drive Levers - Operator Present - PTO - Low/Hi Battery Volts - Low Oil PSI

#### **IGNITION**

Keyless, Personal Code Activated

#### **AUXILIARY POWER**

12v Outlet

#### STORAGE

Large Cup Holder & Storage Tray



### N/A **CUTTING DECK DECK SIZES** 42" **DECK DEPTH** 4" Deep, Reinforced 7 Gauge Full-Floating Deck **DECK LIFT** Foot Operated **DECK ADJUSTMENT** Change-On-The-Go Precision Deck Height Dial **CUT HEIGHT** Quick Adjust Dial from 1" to 4.25" with 12 Cut Heights **BLADE SPINDLES** Cast Aluminum, No Maintenance/Sealed Bearings **PARKING BRAKE** Foot Operated **FRAME** 1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame **MEASUREMENTS WIDTH** 43.5" **WEIGHT** 682 - 719 lbs **LENGTH** 81" **HEIGHT** 44" **WARRANTY ENGINE WARRANTY** 3 Year

**HITCH** 

**FULL WARRANTY** 



3 Year / 300 Hour - 120 Day Belt Warranty

#### **DECK WARRANTY**

Lifetime on the Leading Edge

#### **HYDRAULIC DRIVE WARRANTY**

3 Year / 200 Hour

#### **CONTROL PANEL WARRANTY**

3 Year

## MOWER ACCESSORIES

Deck out your next Spartan with all the extras!