SPECIFICATIONS

Close All ENGINE \wedge ENGINE NAME Kawasaki FX801 **HORSEPOWER** 25.5HP FUEL CAPACITY 9.5gal **DRIVE LINE** $^{\sim}$ HYDRAULIC DRIVE Parker HTJ Transaxles - 12cc Drive Motors **HYDRAULIC DRIVE TORQUE** Continuous - 262 ft-lb | Max Torque - 406 ft-lb **HYDRO DRIVE MAINTENANCE** 1000 Hours Between Oil Changes **DRIVE TIRES** 54" - 24x10.50-R12 Radial | 61" - 24x14-R12 Radial **FRONT TIRES** 13x6.5-R6 Radial with Optional No Flats, or Tweels WHEELS TYPE Aluminum rear wheels and front hub covers

SPEED (F/R)

Forward - Up to 13mph | Reverse - Up to 5mph

FEATURES

 \wedge

SEAT

Smart Ride Technology w/ full suspension seat - adjustable TecsPak Elastomer supports - 360 degree floating seat platform - indepentant rear frame section suspended by

Winamac coil springs

STEERING LEVERS

Soft-Touch Knobs to Adjust Forward and Back. Adjustable Up and Down

CONTROL PANEL LCD DISPLAY

N/A

CONTROL PANEL LED WARNING INDICATORS

N/A

IGNITION

Key Switch

AUXILIARY POWER

12v Outlet Next to Phone Holder

STORAGE

Phone Holder, Cup Holder, and Deep Storage Tray

нітсн

2" Rear Receiver Standard

CUTTING DECK

 \sim

DECK SIZES

54", 61"

DECK DEPTH

6" Deep, Reinforced 7 Gauge Full-Floating Deck

DECK LIFT

Foot Operated with Shock Assist

DECK ADJUSTMENT

Magnetic Pin Height Adjustment

CUT HEIGHT

1" to 5" with 15 Cut Heights

BLADE SPINDLES

Cast Aluminum, No Maintenance/Sealed Bearings

PARKING BRAKE

Foot Operated

FRAME

1.5" by 3" Powder Coated Fusion-Bonded Solid Steel Bridge Frame

MEASUREMENTS

WIDTH

61" Deck - 62.5" wide | 72" Deck - 73.5" wide

WEIGHT

61" Deck - 1192lbs | 72" Deck - 1216lbs

LENGTH

84″

HEIGHT

75" with ROPS Up - 54" with Folding ROPS Down

WARRANTY

^

ENGINE WARRANTY

3 Year

FULL WARRANTY

3 Year / 500 Hour Residential - 2 Year / Unlimited Hour Commercial - 120 Day Belt Warranty

DECK WARRANTY

Lifetime on the leading edge

HYDRAULIC DRIVE WARRANTY

3 Year / 1500 Hour

CONTROL PANEL WARRANTY

N/A