

SPECIFICATIONS

Close All

ENGINE



ENGINE NAME

Kawasaki FR691

HORSEPOWER

23HP

FUEL CAPACITY

5 gal

DRIVE LINE



HYDRAULIC DRIVE

Hydro-Gear ZT-220

HYDRAULIC DRIVE TORQUE

HYDRO DRIVE MAINTENANCE

DRIVE TIRES

20" Carlisle Turf Armor

FRONT TIRES

12" Bias Ply



WHEELS TYPE

Steel

SPEED (F/R)

Forward - Up to 8mph Reverse - Up to 5mph

FEATURES **SEAT**

Comfortable, Custom Design

STEERING LEVERS

Adjustable Up and Down

CONTROL PANEL LCD DISPLAY

N/A

CONTROL PANEL LED WARNING INDICATORS

N/A

IGNITION

Key Switch

AUXILIARY POWER

N/A

STORAGE

N/A

HITCH

N/A

CUTTING DECK **DECK SIZES**

48", 54"

DECK DEPTH

4"

DECK LIFT

Foot Operated

DECK ADJUSTMENT

Magnetic Pin Height Adjustment

CUT HEIGHT

1" to 4.25" with 12 Cut Heights

BLADE SPINDLES

PARKING BRAKE

Automatic

FRAME

MEASUREMENTS 

WIDTH

42" Deck - 43.5" Wide | 54" Deck - 55.5" Wide

WEIGHT

682 - 719 lbs

LENGTH

81"

HEIGHT

44"

WARRANTY 

ENGINE WARRANTY

3 Year

FULL WARRANTY

3 Year / 300 Hour - 120 Day Belt Warranty

DECK WARRANTY

Lifetime on the leading edge

HYDRAULIC DRIVE WARRANTY

3 Year / 200 Hour

CONTROL PANEL WARRANTY

N/A

